

Datasheets

Exhaust hood - Type 6-1/1, 10-1/1



Articlenumber

60.76.217

Description

The exhaust hood extracts steam from the cooking cabinet via the external connection (without condensation technology). Installation is simple, and the hood can be retrofitted at any time.

Intended use

This product is intended exclusively for professional use, such as in restaurant kitchens or catering operations for schools, hospitals, or delis. Any other use runs counter to its intended purpose, and could be dangerous. RATIONAL AG assumes no liability for consequences of improper use.

Features

- Intelligent power control with automatic, continuously variable adjustment of the extraction power to the quantity of steam emitted
- Automatically boosts extraction rate when cooking cabinet door is opened
- Reduction of lingering steam and vapours as they are discharged to the outside
- Reduces expenses and costs for ventilation
- Easy to install and retrofit
- Issue of service notifications on the display of the iCombi Pro and iCombi Classic
- Easy to clean baffle plate, dishwasher safe

Technical specifications

Connection:	200-240 V - 1 NAC
Frequency:	50/60 Hz
Connected load:	140-170 W
Current consumption (A):	0,7 A
Extraction capacity:	705 m ³ /h
Operating noise level:	50-65 dB(A)
Outer diameter for connection to exhaust air:	200 mm

Dimensions and weights

Width (W):	854 mm
Height (H):	362 mm
Depth (D):	880 mm
Weight:	47,2 kg

Material

Rust-free stainless steel (CNS 1.4301/AISI 304)

Datasheets

Exhaust hood - Type 6-1/1, 10-1/1



Note

- For iCombi Pro and iCombi Classic models 6 -1/1 and 6-2/1, we recommend the installation on a raised stand II or III UltraVent version
- A connection to the outside is needed to extract the vapours
- To install an UltraVent, UltraVent Plus or exhaust hood on a SelfCookingCenter (from 09/2011) or CombiMaster Plus, a corresponding adapter kit is required
- The local standards and regulations for ventilation systems must be adhered to
- Only permitted for installation on electrical units

Approvals



Datasheets
Exhaust hood - Type 6-1/1, 10-1/1

